

**WHAT IS CLAIMED IS:**

Sub A2 ✓  
1. An underfloor receptacle box, comprising:  
a housing having at least one opening including a first opening;  
a lid detachably attached to said housing substantially closing said first opening; and  
an insert having at least one angled wall, said insert being removably connected to said  
5 housing, said insert having a continuous wireway between said at least one angled wall and said  
housing.

Sub A1 ✓  
2. The receptacle box of claim 1, further comprising at least one of an electrical power  
receptacle, a telecommunication receptacle and a data receptacle connected to said insert.

Sub B2 ✓  
3. The receptacle box of claim 2, wherein said electrical power receptacle includes an  
electrical cable connected to said electrical power receptacle and an electrical connector  
connected to said electrical cable.

Sub A3 ✓  
4. The receptacle box of claim 3, wherein said housing has a second opening with a  
power connector passing therethrough, said electrical connector configured to detachably  
connect to said power connector.

Sub C1 ✓  
5. The receptacle box of claim 1, wherein said housing has at least one additional  
opening configured for the passage into said housing of at least one of electrical power,  
telecommunications and data.

21  
Cont

6. The receptacle box of claim 1, wherein said lid has at least one slot along at least one edge, said at least one slot providing for the passage of electrical interconnections into said housing.

7. The receptacle box of claim 6, wherein said lid includes a bezel that is detachably connected to said housing, said lid hingeably connected to said bezel, said bezel having at least one retaining hook which coacts with said at least one slot thereby retaining electrical conductors.

8. The receptacle box of claim 7, wherein said housing portion is configured to be mounted below a finished floor level, said bezel being substantially at said finished floor level and connected to said housing.

9. The receptacle box of claim 1, wherein said at least one angled wall of said insert is two angled walls and said insert includes a bottom attached between said two angled walls, said wireway continuous between said bottom and said housing.

SH  
A4

10. A method of reconfiguring an underfloor receptacle box, comprising the steps of: removing a mounting assembly from the underfloor receptacle box; and installing a pre-configured mounting assembly into the underfloor receptacle box.

SB  
BA

11. The method of claim 10, wherein said removing step includes the steps of: detaching said mounting assembly from a housing of the underfloor receptacle box; and

57  
(50)

unplugging at least one of an electrical connector, a data connector and a telephone connector.

SUB  
C1

12. The method of claim 11, wherein said installing step includes the sub-steps of:  
connecting at least one of said electrical connector, said data connector and said telephone connector to said mounting assembly; and  
attaching said mounting assembly to said housing.

13. The method of claim 10, further comprising the step of removing a bezel with a hingedly attached lid.

14. The method of claim 10, further comprising the steps of:  
removing at least one receptacle from said mounting assembly; and  
attaching at least one receptacle to said mounting assembly.

ADJ  
A5